

Original Equipment Quality (ISO/TS 16949 Compliant)














Pope								
Twist Lock Ty	/pe Len	igth : 137.5 mm	Twist Lock Typ	pe L	ength: 147.80 mm	5mm Revers	e Fit Le	ength : 146.70 mm
Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT59BP	Black / PBT	For use with 16V Boots and 16V Caps	PT63BP	Black / PBT	For use with 16V Boots and 16V Caps	PT72BP	Black / PBT	For use with 16V Boots and 16V Caps
		Recommanded Terminal P90T			Recommanded Terminal P90T			Recommanded Terminal P120T
		Recommanded Seal Cap PS66BH / PS117BH			Recommanded Seal Cap PS66BH / PS117BH			Recommanded Seal Cap PS205BS
Similar Part: PT114BP		for Hyundai	Similar Part: PT125BP					Length from tip of tube to terminal 18.00 mm
Qty per Carton: 1,000pcs			Qty per Cartor	: 900pcs		Qty per Carton	: 750pcs	















Colour/ Material:



5mm Reverse Fit

Length: 121.5 mm

Twist Lock Type

Twist Lock Type

Part No.:

PT84BP

Length: 131 mm

Part No.: PT82BP

Colour/ Material: Black / PBT

Application:

16V Caps

P120T

PS205BS

For use with 16V Boots and

Recommanded Terminal

Recommanded Seal Cap

PT83BP Black / PBT

Part No.:

Application:

For use with

16V Boots and 16V Caps

Length: 107 mm

Recommanded Terminal P90T

Recommanded Seal Cap PS209BS

Colour/ Material: Black / PBT

Application:

For use with 16V Boots and 16V Caps

Recommanded Terminal P90T

Recommanded Seal Cap PS205BS

Qty per Carton: 900pcs

Qty per Carton: 1,200pcs

Qty per Carton: 700pcs



5mm Reverse Fit

Twist Lock Type

Length: 119 mm

5mm Reverse Fit

Length: 97.30 mm

Part No.:

Colour/ Material: PT85BP Black / PBT

Application: For use with 16V Boots and 16V Caps

Length: 128 mm

Recommanded Terminal P120T

Recommanded Seal Cap PS205BS

Part No.: PT86BP

Colour/ Material: Black / PBT

Application:

For use with 16V Boots and 16V Caps

Recommanded Terminal P90T

Recommanded Seal Cap

PS205BS

Part No.: PT87BP Colour/ Material: Black / PBT

Application:

For use with 16V Boots and 16V Caps

Recommanded Terminal P120T

Recommanded Seal Cap PS205BS

Qty per Carton: 750pcs Qty per Carton: 1,000pcs Qtv per Carton: 700pcs



Twist Lock Type

Length: 116.50 mm

For use with 16V Boots and 16V Caps

Recommanded Terminal

Twist Lock Type

PT89BP

Length: 105 mm

Length: 79.50 mm

Part No.: PT88BP

Colour/ Material: Black / PBT

Application:

Recommanded Seal Cap PS205BS

Part No.:

Colour/ Material: Black / PBT

Application: For use with 16V Boots and

16V Caps Recommanded Terminal

Recommanded Seal Cap PS205BS

Part No.: PT90BP

Twist Lock Type

Colour/ Material: Black / PBT

Application: For use with

16V Boots and 16V Caps

Recommanded Terminal P90T

Recommanded Seal Cap PS205BS

Qty per Carton: 900pcs

Qty per Carton: 900pcs

Qty per Carton: 1,400pcs



Qty per Carton: 1,000pcs

HIGH TEMPERATURE TUBE



Qty per Carton: 1,400pcs



				Paper			Rojac	
Twist Lock Ty	pe Le	ngth : 122.30mm	Twist Lock Ty	/pe Ler	ngth : 107.50 mm	Twist Lock Ty	ре	Length : 113.40 mm
Part No.: PT97BP	Colour/ Material: Black / PBT	Application: For use with 16V Boots and 16V Caps Recommanded Terminal P90T Recommanded Seal Cap PS205BS	Part No.: PT98BP	Colour/ Material: Black / PBT	Application: For use with 16V Boots and 16V Caps Recommanded Terminal P90T Recommanded Seal Cap P\$205BS	Part No.: PT99BP	Colour/ Material: Black / PBT	Application: For use with 16V Boots and 16V Caps Recommanded Terminal P90T Recommanded Seal Cap PS135BS
Qty per Carton: 900pcs			Qty per Carto	n: 900pcs		Qty per Carton	: 900pcs	







Qty per Carton: 1,400pcs

Qty per Carton: 900pcs

		Q EC		= ;				_
5mm Reverse	Fit Le	ength : 91.80 mm	Twist Lock Typ	De Ler	ngth : 134.90 mm	Twist Lock Ty	pe Le	ength: 132.80 mm
Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT108BP	Black / PBT	For use with 16V Boots and 16V Caps	PT109BP	Black / PBT	For use with 16V Boots and 16V Caps	PT110BP	Black / PBT	For use with 16V Boots and 16V Caps
		Recommanded Terminal P120T			Recommanded Terminal P90T			Recommanded Terminal P90T
Similar Part: PT32BP		Recommanded Seal Cap PS66BH / PS78BS	Similar Part: PT43BP		Recommanded Seal Cap PS238BH			Recommanded Seal Cap PS238BH
Qty per Carton	: 1,000pcs		Qty per Carton:	700pcs		Qty per Carton	: 700pcs	

Qty per Carton: 750 pcs



				Bio.			
	010			190			3
mm Reverse Fit	Length : 146.50 mm	5mm Reverse	e Fit	Length : 100.80 mm	5mm Reverse	Fit	Length : 155.70 mm
Part No.: Colour/ M	Material: Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT111BP Black / PB	T For use with 16V Boots and 16V Caps	PT112BP	Black / PBT	For use with 16V Boots and 16V Caps	PT113BP	Black / PBT	For use with 16V Boots and 16V Caps
	Recommanded Terminal P120T			Recommanded Terminal P120T			Recommanded Terminal P120T
	Recommanded Seal Cap PS238BH			Recommanded Seal Cap PS84BH			Recommanded Seal Cap PS238BH
		Similar Part: PT35BP			Similar Part: PT28BP		
Qty per Carton: 750pcs		Qty per Cartor	n: 1,000pcs		Qty per Carton	: 700pcs	
	and the state of	e p					
		77-16					
wist Lock Type	Length : 137.90 mm	Twist Lock Ty	rpe	Length : 148.60 mm	Twist Lock Ty	rpe L	_ength : 106.90 mm
Part No.: Colour/ M	faterial: Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
T114BP Black / PB	T For use with 16V Boots and 16V Caps	PT115BP	Black / PBT	For use with 16V Boots and 16V Caps	PT116BP	Black / PBT	For use with 16V Boots and 16V Caps
	Recommanded Terminal P90T			Recommanded Terminal P90T			Recommanded Terminal
imilar Part: T59BP	Recommanded Seal Cap PS82BS			Recommanded Seal Cap PS82BS	Similar Part: PT50BP		Recommanded Seal Cap PS238BH
Qty per Carton: 700pcs		Qty per Carto	n: 700pcs		Qty per Carto	n: 1000pcs	
	-0 -1					=	
wist Lock Type	Length : 108.20 mm	Twist Lock Ty	/pe l	_ength: 107.20 mm	5mm Reverse	Fit	Length: 138 mm
Part No.: Colour/ M	faterial: Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
T117BP Black /	PBT For use with 16V Boots and 16V Caps	PT118BP	Black / PBT	For use with 16V Boots and 16V Caps	PT119BP	Black / PBT	For use with 16V Boots and 16V Caps
	Recommanded Terminal P90T			Recommanded Terminal P90T			Recommanded Terminal P120T

Qty per Carton: 1,000pcs

Qty per Carton: 700pcs

Qty per Carton: 1,000pcs













Length: 94.80 mm Twist Lock Type



Length: 141.80 mm Twist Lock Type



Length: 126.90 mm Twist Lock Type

Part No.:
PT129BP

Colour/ Material: Black / PBT

Application: For use with 16V Boots and 16V Caps

Recommanded Terminal P90T Recommanded Seal Cap

PS66BH

Part No.:	Colour/ Material:
PT130BP	Black / PBT

Application: For use with 16V Boots and 16V Caps Recommanded Terminal P90T

Recommanded Seal Cap Similar Part: PS66BH PT15BP PT67BP



Similar Part

PT55BP

Qty per Carton:

Colour/ Material: Black / PBT

Application: For use with 16V Boots and 16V Caps

Recommanded Terminal P90T

Recommanded Seal Cap PS238BH

Qty per Carton:







Twist Lock Type

Length: 121 mm

Part No.: Colour/ Material: Application: PT132BP Black / PBT For use with 16V Boots and 16V Caps Recommanded Terminal Similar Part: PT8BP Recommanded Seal Cap PS66BH PT10BP

Qty per Carton: 1,000pcs

PT53BP

Twist Lock Type

Colour/ Material: Part No.: PT133BP Black / PBT

Qty per Carton: 1,000pcs

Similar Part:

PT86BP Qty per Carton:

Length: 118 mm Application: For use with 16V Boots and 16V Caps

> Recommanded Terminal P90T

Recommanded Seal Cap PS238BH

PT134BP

Similar Part:

PT64BP

Part No.:

Twist Lock Type

Colour/ Material: Black / PBT

Application: For use with 16V Boots and 16V Caps

Length: 116 mm

Recommanded Terminal P90T

Recommanded Seal Cap PS66BH

Qty per Carton: 700pcs







Black / PBT

Twist Lock Type

Part No.:

PT135BP

Similar Part:

PT41BP Qty per Carton: Length: 129.20 mm

Colour/ Material: Application: For use with Black / PBT 16V Boots and 16V Caps Recommanded Terminal P90T Recommanded Seal Cap PS66BH

5mm Reverse Fit

Part No.:

PT136BP

Similar Part:

PT106BP

Qty per Carton:

Length: 141.50 mm

Colour/ Material: Application: For use with Black / PBT 16V Boots and

> Recommanded Terminal P120T Recommanded Seal Cap PS238BH

5mm Reverse Fit Part No.:

PT137BP

Length: 153.30 mm Colour/ Material:

Application: For use with

16V Boots and 16V Caps


> Recommanded Terminal P120T Recommanded Seal Cap PS238BH

Qty per Carton:

Similar Part:

PT30BP








R					W.			- 10 31
n Reverse	Fit Le	ength : 129.50 mm	Twist Lock Ty	ре	Length: 144 mm	Twist Lock Ty	/pe	Length: 135 mm
rt No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT144BP	Black / PBT	For use with 16V Boots and 16V Caps	PT145BP	Black / PBT	For use with 16V Boots and 16V Caps	PT146BP	Black / PBT	For use with 16V Boots and 16V Caps
		Recommanded Terminal P120T			Recommanded Terminal P90T			Recommanded Termi P90T - 7mm P91T - 5mm
		Recommanded Seal Cap PS238BH	Similar Part: PT45BP (cut 22mm)		Recommanded Seal Cap PS238BH	Similar Part: PT13BP		Recommanded Seal C PS66BH
per Carton			Qty per Carton			Qty per Carton		











Twist Lock Typ	e Leng	th : 200.50 mm	Twist Lock Ty	pe Ler	ngth: 107.70 mm	Twist Lock Typ	ре	Length: 103 mm
Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:	Part No.:	Colour/ Material:	Application:
PT150BP	Black / PBT	For use with 16V Boots and 16V Caps	PT151BP	Black / PBT	For use with 16V Boots and 16V Caps	PT152BP	Black / PBT	For use with 16V Boots and 16V Caps
		Recommanded Terminal P90T			Recommanded Terminal P90T			Recommanded Terminal P90T
		Recommanded Seal Cap PS238BH			Recommanded Seal Cap PS238BH			Recommanded Seal Cap PS84BH
Similar Part: PT40BP			Similar Part: PT52BP			Similar Part: PT48BP		
Qty per Carton	:		Qty per Carton	:		Qty per Carto	n:	



